Service ID S00176



Location Italy, Remote

Design of computational environments for digital testing

Provider service

Politecnico di Milano (POLIMI)

Link to content

https://www.agrifoodtef.eu/services/design-computational-environments-digital-testing

Type of Sector

Arable farming, Food processing, Greenhouse, Horticulture, Livestock farming, Tree Crops, Viticulture

Accepted type of products

Design / Documentation

Type of service

Test design

Description

Test activities involve three key components: the environment (where the tests are conducted), the protocol (defining what tests are performed and how), and evaluation metrics (used to assess the test results). Through this service, we assist customers in designing a computational environment tailored to running the digital tests required for their software components. Specifically, this service:Defines the data (and metadata) requirements needed to support the testIdentifies the necessary software environment (e.g., operating system, libraries)Selects an appropriate simulator and defines simulated environments, if requiredChooses remote access tools, if applicable.As a result, we deliver a comprehensive design of the testing environment, including specifications such as memory requirements, GPU/TPU acceleration, and necessary libraries. This environment can be deployed on either the agrifoodTEF digital infrastructure or the customer's computing infrastructure (i.e., on premises).

How can the service help you

Many agri-food technologies require testing and validation in fully digital environments, either through (i) simulation before the system is physically deployed or (ii) on specific datasets to evaluate algorithm performance in controlled scenarios. These tests also necessitate a properly configured computing environment, including CPU, memory, GPU/TPU acceleration, operating systems, libraries, and simulators.

This service provides users with a tailored definition of such an environment, including hardware specifications (for physical hardware or virtual machines), a customized runtime environment (e.g., in the form of a Docker container or virtual machine), and testing tools (such as preconfigured simulators or curated datasets).

How the service will be delivered

Example Service: The customer seeks to test an intra-row navigation solution in a simulated environment before deploying the system in the field to avoid damaging plants during weeding operations. To facilitate these tests, we recreate a subset of the customer's deployment environment within the Gazebo simulator, including several cultivated plant rows.

To account for the kinematics of the customer's weeding robot, we use a virtual replica of a skid-steering mobile robot, customized to closely mirror the customer's actual machine. Since the customer's robot is equipped with a LiDAR sensor and camera system, we add corresponding virtual sensors to the Gazebo model and ensure proper interaction between the sensors and the simulated environment.

By leveraging the flexibility of simulation, we can modify the testing environments by adjusting row lengths (e.g., 3, 5, or up to 10 meters) and narrowing the row spacing (e.g., from 3 meters to 1 meter) to evaluate the navigation system's performance in increasingly challenging scenarios.

Service customisation

This is a digital service with an average duration of 4 to 12 weeks, adjustable as needed. The customer provides a high-level description of the software component(s) to be tested, along with the executable code (under NDA) and the specifications for the tools required for testing.

During the initial interview, the hardware and software requirements will be refined, and the customer will demonstrate an example execution of the software component(s). Additional interviews may be scheduled, if necessary, to further refine the requirements or clarify the functioning of the components being tested.

At the end of the service, the customer will receive a complete definition of the digital testing environment, including hardware specifications (for physical hardware or virtual machines) and/or a customised runtime environment (e.g., a Docker container or a tailored virtual machine).